## 21-301 Combinatorics Homework 10 Due: Wednesday, November 29

- 1. Find the set of P-positions for the take-away games with subtraction sets
  - (a)  $S = \{1, 3, 7\}.$
  - (b)  $S = \{1, 4, 6\}.$

Suppose now that there are two piles and the rules for each pile are as above. Now find the P positions for the two pile game where in one pile S is as in (a) and the other pile is as in (b).

## Solution:

(a) The first few numbers are

It is apparent that  $g_1(j) = j \mod 2$  and this follows by an easy induction: If j is even then  $j - x, x \in S$  is odd and if j is odd then  $j - x, x \in S$  is even.

(b) The first few numbers are

So, we see that the pattern 0 1 0 1 2 repeats itself. Again, induction can be used to verify that this continues indefinitely.

(c) The *P*-positions are those j, k for which  $g_1(j) \oplus g_2(k) = 0$ . Thus  $P = \{j : (j \mod 5 = 4) \text{ or } (j \mod 10 \ge 5)\}.$ 

2. Consider the following game: There is a pile of n chips. A move consists of removing any *proper* factor of n chips from the pile. (For the purposes of this question, a proper factor of n, is any factor, including 1, that is strictly less than n.)The player to leave a pile with one chip wins. Determine the N and P positions and a winning strategy from an N position.

**Solution:** n is a P-position iff it is odd. If n is even then the next player can simply remove one chip. If n is odd, then any factor of n is also odd.

3. In a take-away game, the set S of the possible numbers of chips to remove is finite. Show that the Sprague-Grundy numbers satisfy  $g(n) \leq |S|$  where n is the number of chips remaining.

**Solution:** Observe that for any finite set A,  $mex(A) \leq |A|$  since mex(A) > |A| implies that  $A \subseteq \{0, 1, 2, ..., |A|\}$  which is obviously impossible. In the take-away game g(n) is the mex of a set of size at most |S| and the result follows.